




AM-EN

# ZipLink® Belts

## Win your race at the pit stop!





# ZipLink® Belts make your production run while eliminating all issues related to belt splicing!

Ammeraal Beltech is a leading manufacturer of process and conveyor belts with an established reputation for developing innovative solutions for belting applications.

Working closely with OEMs and end users, Ammeraal Beltech has developed a range of ZipLink® Belts: a special design link fabric in combination with top covers giving superior performance. The main benefit is the striking increase of your production time.



Scan the QR Code and watch the video!

| Features                  | Benefits                                                                                                                                                                                                             |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Increased production time | <ul style="list-style-type: none"> <li>• Shortest production downtime</li> <li>• Reduced maintenance time and cost</li> <li>• Extended belt service life</li> </ul>                                                  |
| Operational safety        | <ul style="list-style-type: none"> <li>• Protects both product and conveyor from being damaged</li> <li>• Extra high stability allows for easier tracking</li> </ul>                                                 |
| Less energy consumption   | <ul style="list-style-type: none"> <li>• Low friction bottom version helps reduce energy</li> </ul>                                                                                                                  |
| Economical use            | <ul style="list-style-type: none"> <li>• Strongest in-house splicing; no outside fitters required</li> <li>• No need for any special tools or presses</li> <li>• Possible repair of damaged belt sections</li> </ul> |
| Proven technology         | <ul style="list-style-type: none"> <li>• Choice of top cover materials tuned to the application</li> </ul>                                                                                                           |

ZipLink® is an innovative belt range which is specially designed to offer **benefits in a variety of different industries**. Quick and simple installation or repair help to lower costs and reduce downtime. The design allows for repair or replacement of just small sections of the belt.




Download the Case Studies



Joint with one single pin!



# ZipLink® is an innovative Belting Concept allowing easy customization!

| Materials                  | General characteristics                                                                                                                                                                                                                                          | Main applications                                                                                                                             | Examples                                                                              |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Natural Rubber</b>      | <ul style="list-style-type: none"> <li>• Thermoset rubber</li> <li>• Excellent abrasion resistance</li> <li>• Excellent grip in wet and dry characteristics</li> <li>• FDA</li> <li>• Temperature range -40 °F to 250 °F</li> </ul>                              | Paper and Cardboard Industry<br>Wood Industry<br>Inclined transportation<br>Tobacco Industry<br>Agriculture                                   |    |
| <b>Carboxylated Rubber</b> | <ul style="list-style-type: none"> <li>• Thermoset rubber</li> <li>• Excellent abrasion resistance</li> <li>• Excellent oil and fat resistance</li> <li>• Good grip in wet and dry characteristics</li> <li>• Temperature range -0.4 °F to 250 °F</li> </ul>     | Paper and Cardboard Industry<br>Wood Industry<br>Sugar Industry<br>Detergent powder<br>Metal Industry                                         |    |
| <b>Nitrile</b>             | <ul style="list-style-type: none"> <li>• Thermoset rubber</li> <li>• Excellent oil and fat resistance</li> <li>• Wear and impact-resistance</li> <li>• FDA/USDA</li> <li>• Temperature range -0.4 °F to 250 °F</li> </ul>                                        | Food processing (Meat & Poultry, Fish and Corn Flakes)<br>Chemical Industry<br>Textile (roll covering)<br>Cardboard production                |   |
| <b>SBR</b>                 | <ul style="list-style-type: none"> <li>• Thermoset rubber</li> <li>• Good abrasion resistance</li> <li>• Excellent grip</li> <li>• Economical</li> <li>• Temperature range -40 °F to 250 °F</li> </ul>                                                           | General package handling<br>Airport Industry (inside and outside terminal)<br>Brick and Tile Industry<br>Chemical Industry<br>Carton Industry |  |
| <b>Silam</b>               | <ul style="list-style-type: none"> <li>• Thermoset rubber</li> <li>• Excellent release properties</li> <li>• Good chemical resistance</li> <li>• FDA/USDA</li> <li>• Temperature range -65 °F to 349 °F continuous, -72 °F to 500 °F intermittent</li> </ul>     | Tire Industry (mixing department)<br>Chemical Industry<br>Shrink tunnels<br>Food processing<br>Leather and textile                            |  |
| <b>Teflon</b>              | <ul style="list-style-type: none"> <li>• Thermoplastic</li> <li>• Excellent release properties</li> <li>• Excellent chemical and stain resistance</li> <li>• Good oil and fat resistance</li> <li>• FDA</li> <li>• Temperature range -58 °F to 180 °F</li> </ul> | Extrusion Industry<br>Food Industry<br>Chemical Industry<br>Fiberglass Industry                                                               |  |
| <b>Cotton / Felt</b>       | <ul style="list-style-type: none"> <li>• Temperatures up to 248 °F</li> </ul>                                                                                                                                                                                    | Tire Industry<br>Cardboard<br>Metal stamping<br>Car Industry<br>Aluminum extrusion                                                            |  |



Contact us:  
**877-MIR-BELT**  
[www.mir-belting.com](http://www.mir-belting.com)



**AR – FORT SMITH**  
101 North 3rd Street  
Van Buren, AR 72956  
(479) 474-2207

**CA – LOS ANGELES**  
932 W Grove Avenue  
Orange, CA 92865  
(714) 912-8001

**CA – FRESNO**  
4022 W. Ashcroft Ave.  
Fresno, CA 93722  
(559) 860-0393

**CO – DENVER**  
1020 W. 124th Avenue  
Suite 400 | Building C  
Westminster, CO 80234  
(303) 227-0300

**CT – HARTFORD**  
34 Industrial Park Place  
Suite 4 & 5  
Middletown, CT 06457  
(860) 828-4444

**CORPORATE**  
**MO – ST. LOUIS**  
10431 Midwest Industrial Drive  
St. Louis, MO 63132  
(314) 890-0016

**FL – ORLANDO**  
11398 Space Boulevard  
Orlando, FL 32837  
(407) 851-0044

**GA – ATLANTA**  
300 Brogdon Road  
Suite 130  
Suwanee, GA 30024  
(678) 957-0420

**IL – CHICAGO**  
5 Earl Court  
Suite 150  
Woodridge, IL 60517  
(630) 985-9470

**KY – LOUISVILLE**  
4421 Kiln Court  
Building C  
Louisville, Kentucky 40218  
(877) 647-2358

**MI – DETROIT**  
2109 Bishop Cir E  
Dexter, MI 48130  
(734) 426-0088

**MN – MINNEAPOLIS**  
8710 Monticello Lane N  
Maple Grove, MN 55369  
(763) 315-0046

**MO – KANSAS CITY**  
3155 Terrace Street  
Kansas City, MO 64111  
(816) 421-1136

**NC – RALEIGH**  
1758 Anthony Road  
Burlington, NC 27215  
(336) 227-4277

**NE – OMAHA**  
10504 Bondesson Circle  
Omaha, NE 68122  
(402) 827-6900

**OH – COLUMBUS**  
4847 Northwest Parkway  
Hilliard, OH 43026  
(614) 876-3110

**PA – PHILADELPHIA**  
2141 Potshop Lane  
East Norriton, PA 19403  
(610) 759-4565

**TN – MEMPHIS**  
5425 East Raines Road  
Suite 5  
Memphis, TN 38115  
(901) 969-5151

**TN – NASHVILLE**  
1501B Sarah Court  
Murfreesboro, TN 37129  
(615) 647-6560

**TX – DALLAS**  
1014 Santerre St.  
Grand Prairie, TX 75050  
(972) 988-6700

**TX – SAN ANTONIO**  
5108 Rittiman Road  
Suite 106  
San Antonio, TX 78218  
(726) 224-2656

**UT – SALT LAKE CITY**  
1925 S. Milestone Drive  
Suite B  
Salt Lake City, UT 84104  
(801) 973-6400

**VA – RICHMOND**  
4619 Glasgow Street  
Richmond, VA 23234  
(804) 271-0689

**WA – SEATTLE**  
6841 South 220th Street  
Kent, WA 98032  
(206) 508-6777

**WI – APPLETON**  
W6470 Levi Drive  
Greenville, WI 54942  
(920) 757-9200